
















Code Num.	Shape	Name	Size(s)			Price		
		Feed Roller	44,5 x 70 x 6 Carbide	0,20 - 0,25				
				0,30 - 0,35				
				0,40 - 0,45				
				0,50 - 0,55				
				0,60 - 0,70				
				0,80 - 0,90				
				1,00 - 1,20				
				1,30 - 1,50				
				44,5 x 70 x 11 HSS	1,40 - 1,60			
					1,80 - 2,00			
					2,30 - 2,50			
					2,40 - 2,60			
					2,80 - 3,00			
		Quill & Liner	OD 20	0,20		0,55		
				0,25		0,60		
				0,30		0,70		
				0,35		0,80		
				0,40		0,90		
				0,45		1,00		
				0,50				
				OD 34	1,20			2,00
					1,30			2,30
					1,40			2,50
			1,50		2,60			
			1,60		2,80			
			1,80		3,00			
		Coiling Point	Carbide 5 x 7		5°	10°	20°	
				0,20	0,20	0,20		
				0,25	0,25	0,25		
				0,30	0,30	0,30		
				0,35	0,35	0,35		
				0,40	0,40	0,40		
				0,45	0,45	0,45		
				0,50	0,50	0,50		
				0,55	0,55	0,55		
				0,60	0,60	0,60		
				0,70	0,70	0,70		
				0,80	0,80	0,80		
				0,90	0,90	0,90		
				1,00	1,00	1,00		

				10°	20°	30°	
		Coiling Point	Carbide 5 x 7	1,00	1,00	1,00	
				1,20	1,20	1,20	
				1,30	1,30	1,30	
				1,40	1,40	1,40	
				1,50	1,50	1,50	
				1,60	1,60	1,60	
				1,70	1,70	1,70	
				1,80	1,80	1,80	
				2,00	2,00	2,00	
				2,30	2,30	2,30	
				2,50	2,50	2,50	
				2,60	2,60	2,60	
				2,80	2,80	2,80	
		Groove Bender (L,R)	Carbide 5 x 7	0,30			
				0,35			
				0,40			
				0,45			
				0,50			
				0,55			
				0,60			
				0,70			
				0,80			
				0,90			
				1,00			
				1,20			
			Carbide, HSS 7 x 8	1,40			
				1,60			
				1,80			
				2,00			
				2,30			
				2,50			
				2,60			
				2,80			
				3,00			
		Cutter Tool	Carbide	5x7 (for 0,20 φ - 2,50 φ)			
				5x8 (for 0,20 φ - 2,50 φ)			
			HSS	5x7 (for 2,60 φ - 3,00 φ)			

	Groove Cutter	Carbide 5 x 7	0,30	
			0,35	
			0,40	
			0,45	
			0,50	
			0,55	
			0,60	
			0,70	
			0,80	
			0,90	
			1,00	
			1,20	
			1,40	
			1,60	
			1,80	
			2,00	
			2,30	
			2,50	
			2,60	
			2,80	
3,00				
	45° Cutter	Carbide	5 x 7	
	Standard Bender	Carbide	5 x 7	
	45° Bender (L , R)	Carbide	5 x 7	
			8 x 12	
	Inlet Wire Guide	HSS	0,70 / 1,40	
			1,00 / 2,00	
			1,60 / 3,50	
	Outlet Wire Guide	HSS	0,70 / 1,40	
			1,00 / 2,00	
			1,60 / 3,50	

		Mandrel	Carbide	2,00 / 3,00	
				4,00 / 5,00	
				5,00 / 6,00	
				7,00 / 8,00	
		Mandrel	Carbide	2,00 / 3,00	
				4,00 / 5,00	
				5,00 / 6,00	
				7,00 / 8,00	
		Mandrel	(OD 6) (88L)	0,20	
				0,25	
				0,30	
				0,35	
				0,40	
				0,45	
				0,50	
				0,55	
				0,60	
				0,70	
				0,80	
				0,90	
			1,00		
			1,20		
			(OD 8) (90 L)	1,20	
				1,40	
				1,60	
				1,80	
				2,00	
				2,30	
			(OD 8) (110 L)	2,50	
				2,60	
				2,80	
				3,00	
	1,40				
	1,60				
	1,80				
	2,00				
	2,30				
	2,50				
	2,60				
	2,80				
	3,00				